

Rabbit anti-Human Epithelial Neutrophil Activating Peptide 78 (ENA78) Polyclonal Antibody | anti-ENA78 antibody

Polyclonal Antibody to Epithelial Neutrophil Activating Peptide 78 (ENA78)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA131869	Rabbit	Human	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry


PRODUCT SYNONYMS

Epithelial Neutrophil Activating Peptide 78 (ENA78); Polyclonal Antibody; Polyclonal Antibody to Epithelial Neutrophil Activating Peptide 78 (ENA78); anti-ENA78 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against ENA78. It has been selected for its ability to recognize ENA78 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag, His-tag and its sequence is listed below. MRNK KFELGLEFPN LPYYIDGDVK LTQSMIIRY IADKHNMLGG CPKERAISM LEGAVLDIRY GVSRIAYSKD FETLKVDFLS KLPEMLKMF DRLCHKTYLN GDHVTHPDFM LYDALDVVLY MDPMLDAFP KLVCFKKRIE AIPQIDKYLK SSKYIAWPLQ GWQATFGGGD HPPKSDGSTS GSGHHHHHS AGLVPRGSTA IGMKETAAK FERQHMDSPD LGTLEVLFGG PLGSEF-GPA AAVLRELRCV CLQTTQGVHP KMISNLQVFA IGPQCSKVEV VASLKNGKEI CLDPEAPFLK KVIQKILDGG NKEN
Applicable Applications for anti-ENA78 antibody	WB (Western Blot), ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry)
Immunogen	Recombinant ENA78 (Gly38~Asn114) expressed in E.coli.
Cross Reactivity	Human
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on IHC-P; Samples: Human Recombinant Cancer Tissue.



IHC (Immunohiostchemistry)
DAB staining on IHC-P; Samples: Human Pancreas Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant ENA78, Human.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506849
NCBI GeneID	6374
NCBI Accession #	NP_002985.1
NCBI GenBank Nucleotide #	NM_002994.4
UniProt Accession #	P42830; Q96QE1
Molecular Weight	11,972 Da
NCBI Official Full Name	C-X-C motif chemokine 5
NCBI Official Synonym Full Names	C-X-C motif chemokine ligand 5
NCBI Official Symbol	CXCL5
NCBI Official Synonym Symbols	SCYB5; ENA-78
NCBI Protein Information	C-X-C motif chemokine 5
UniProt Protein Name	C-X-C motif chemokine 5
UniProt Gene Name	CXCL5
UniProt Synonym Gene Names	ENA78; SCYB5

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

