

Rabbit anti-Mouse Decay Accelerating Factor (DAF) Polyclonal Antibody | anti-DAF antibody

Polyclonal Antibody to Decay Accelerating Factor (DAF)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA132104	Rabbit	Mouse	Immunoprecipitation, Immunocytochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Decay Accelerating Factor (DAF); Polyclonal Antibody; Polyclonal Antibody to Decay Accelerating Factor (DAF); anti-DAF antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.02% NaN ₃ , 50% glycerol
Concentration	0.5mg/ml (varies by lot)
Applicable Applications for anti-DAF antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Source	Polyclonal antibody preparation
Traits	Liquid
Immunogen	Recombinant CD55 (Pro47~Glu286 (Accession # Q61475)) expressed in E.coli ().
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Spleen Tissue




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Stomach Tissue



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Kidney Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant CD55, Mouse.



WB (Western Blot)
Western Blot: Sample: Mouse Heart Tissue.

NCBI AND UNIPROT INFORMATION

NCBI GI #	114326522
NCBI GeneID	13136
NCBI Accession #	NP_034146.2
NCBI GenBank Nucleotide #	NM_010016.3
UniProt Accession #	Q61475; P97732; Q3TU32; Q4FJS4; Q61397; Q76N72; Q921P0; Q9R1C1
NCBI Official Full Name	complement decay-accelerating factor, GPI-anchored preproprotein
NCBI Official Synonym Full Names	CD55 molecule, decay accelerating factor for complement

NCBI Official Symbol	Cd55
NCBI Official Synonym Symbols	Daf; Daf1; Daf-GPI; GPI-DAF
NCBI Protein Information	complement decay-accelerating factor, GPI-anchored
UniProt Protein Name	Complement decay-accelerating factor, GPI-anchored
UniProt Gene Name	Cd55
UniProt Synonym Gene Names	Cd55a; Daf; Daf1; DAF-GPI

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/decay-accelerating-factor-daf-antibody-immunoprecipitation-immunocytochemistry-immunohistochemistry-western-blot-elisa/132104>