

Rabbit anti-Human, Mouse Pulmonary Activation Regulated Chemokine (PARC) Polyclonal Antibody | anti-PARC antibody

Polyclonal Antibody to Pulmonary Activation Regulated Chemokine (PARC)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA132610	Rabbit	Human, Mouse	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Pulmonary Activation Regulated Chemokine (PARC); Polyclonal Antibody; Polyclonal Antibody to Pulmonary Activation Regulated Chemokine (PARC); anti-PARC antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.62mg/ml (varies by lot)
Applicable Applications for anti-PARC antibody	IHC (Immunohistochemistry), WB (Western Blot)
Source	Polyclonal antibody preparation
Traits	Liquid
Cross Reactivity	Mouse
Immunogen	Recombinant PARC (Ala21~Ala89) expressed in E.coli ().
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

IMAGES



IHC (Immunohistochemistry)

DAB staining on IHC-P; Samples: Human Cardiac Muscle Tissue; Primary Ab: 20ug/ml Rabbit Anti-Human PARC Antibody; Second Ab: 2ug/mL HRP Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: AAA132610)



WB (Western Blot)


Sample: Human Lung lysate; Primary Ab: 5ug/ml Rabbit Anti-Human PARC Antibody; Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: AAA132610)

**WB (Western Blot)**

Sample: Human Leukocyte lysate;Primary Ab: 5ug/ml Rabbit Anti-Human PARC
AntibodySecond Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog:

**WB (Western Blot)**

Western Blot: Sample: Recombinant PARC, Human.

**WB (Western Blot)**

Sample: Mouse Lymphocyte lysate;Primary Ab: 5ug/ml Rabbit Anti-Human PARC
AntibodySecond Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog:

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506831
NCBI GeneID	6362
NCBI Accession #	NP_002979.1
NCBI GenBank Nucleotide #	NM_002988.3
UniProt Accession #	P55774; Q53X71; B5BUM2
NCBI Official Full Name	C-C motif chemokine 18
NCBI Official Synonym Full Names	C-C motif chemokine ligand 18
NCBI Official Symbol	CCL18
NCBI Official Synonym Symbols	CKb7; PARC; AMAC1; DCCK1; MIP-4; AMAC-1; DC-CK1; SCYA18
NCBI Protein Information	C-C motif chemokine 18
UniProt Protein Name	C-C motif chemokine 18
UniProt Gene Name	CCL18
UniProt Synonym Gene Names	AMAC1; DCCK1; MIP4; PARC; SCYA18; AMAC-1; DC-CK1; MIP-4

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/pulmonary-activation-regulated-chemokine-parc-antibody-immunohistochemistry-western-blot-elisa/132610>