

Rabbit Histone Deacetylase 6 (HDAC6) Polyclonal Antibody | anti-HDAC6 antibody

Polyclonal Antibody to Histone Deacetylase 6 (HDAC6)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA133097	Rabbit	Human, Mouse, Pig	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry


PRODUCT SYNONYMS

Histone Deacetylase 6 (HDAC6); Polyclonal Antibody; Polyclonal Antibody to Histone Deacetylase 6 (HDAC6); anti-HDAC6 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Pig
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against HDAC6. It has been selected for its ability to recognize HDAC6 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% Na ₃ N, 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence	Antigen: The target protein is fused with N-terminal His-Tag and its sequence is listed below. MG HHHHHHSGSE F-VLADTYDS VYLHPNSYSC ACLASGSVLR LVDAVLGAEI RNGMAIIRPP GHHAQHSLMD GYCMFNHVAV AARYAQQKHR IRRVLVDWD VHHGQGTQFT FDQDPSVLYF SIHRYEQGRF WPHLKASNWS TTGFGQGQGY TINVPWNQVG MRDADYIAAF LHVLLPVALE FQPQLVLVAA GFDAL
Sequence Length	1215
Applicable Applications for anti-HDAC6 antibody	WB (Western Blot), ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry)
Immunogen	Recombinant HDAC6 (Val166~Leu348) expressed in E.coli.
Cross Reactivity	Pig
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Cancer Tissue.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Kidney Tissue



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant HDAC6, Human.



WB (Western Blot)
Western Blot: Sample: Porcine Kidney Tissue.

NCBI AND UNIPROT INFORMATION

NCBI GI #	1007392134
NCBI GeneID	10013
NCBI Accession #	NP_001308155.1
NCBI GenBank Nucleotide #	NM_001321226.1
UniProt Accession #	Q9UBN7; O94975; Q6NT75; Q7L3E5; Q96CY0

Molecular Weight	114,361 Da
NCBI Official Full Name	histone deacetylase 6 isoform b
NCBI Official Synonym Full Names	histone deacetylase 6
NCBI Official Symbol	HDAC6
NCBI Official Synonym Symbols	HD6; JM21; CPBHM; PPP1R90
NCBI Protein Information	histone deacetylase 6
UniProt Protein Name	Histone deacetylase 6
UniProt Gene Name	HDAC6
UniProt Synonym Gene Names	KIAA0901; HD6

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/histone-deacetylase-6-hdac6-antibody-western-blot-immunohistochemistry-immunocytochemistry-elisa/133097>