

Rabbit anti-Human Tumor Necrosis Factor Ligand Superfamily, Member 14 (TNFSF14) Polyclonal Antibody | anti-TNFSF14 antibody

Polyclonal Antibody to Tumor Necrosis Factor Ligand Superfamily, Member 14 (TNFSF14)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA133413	Rabbit	Human	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry


PRODUCT SYNONYMS

Tumor Necrosis Factor Ligand Superfamily; Member 14 (TNFSF14); Polyclonal Antibody; Polyclonal Antibody to Tumor Necrosis Factor Ligand Superfamily; anti-TNFSF14 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against TNFSF14. It has been selected for its ability to recognize TNFSF14 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag, His-tag and its sequence is listed below. MHHH HHHSSGLVPR GSGMKETAAA KFERQHMDSP DLGTDDDDKA MADIGSEF-H WRLGEMVTRL PDGPAGSWEQ LIQERRSHEV NPAHLTGAN SSLTGSGGPL LWETQLGLAF LRGLSYHDGA LVTKAGYYY IYSKVQLGGV GCPLGLASTI THGLYKRTPR YPEELELLVS QQSPCGRATS SSRVWWDSSF LGGVVHLEAG EKVVVRVLDE RLVRLRDGTR SYFGAFMV
Sequence Length	240
Applicable Applications for anti-TNFSF14 antibody	WB (Western Blot), ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry)
Immunogen	Recombinant TNFSF14 (His62~Val240) expressed in E.coli.
Cross Reactivity	Human
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Tissue.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Cancer Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Lung Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Stomach Tissue



WB (Western Blot)
Western Blot: Sample: Recombinant TNFSF14, Human.

NCBI AND UNIPROT INFORMATION

NCBI GI #	25952144
NCBI GeneID	8740
NCBI Accession #	NP_003798.2
NCBI GenBank Nucleotide #	NM_003807.4
UniProt Accession #	O43557; O75476; Q6FHA1; Q8WVF8; Q96LD2; A8K7M2; C9J5H4

Molecular Weight	22,395 Da
NCBI Official Full Name	tumor necrosis factor ligand superfamily member 14 isoform 1
NCBI Official Synonym Full Names	TNF superfamily member 14
NCBI Official Symbol	TNFSF14
NCBI Official Synonym Symbols	LTg; CD258; HVEML; LIGHT
NCBI Protein Information	tumor necrosis factor ligand superfamily member 14
UniProt Protein Name	Tumor necrosis factor ligand superfamily member 14
UniProt Gene Name	TNFSF14
UniProt Synonym Gene Names	HVEML; LIGHT; HVEM-L; Herpesvirus entry mediator ligand

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/tumor-necrosis-factor-ligand-superfamily-member-14-tnfsf14-antibody-western-blot-immunohistochemistry-immunocytochemistry-elisa/133413>