

Rabbit Immunoglobulin A (IgA) Polyclonal Antibody | anti-IgA antibody

Polyclonal Antibody to Immunoglobulin A (IgA)

CATALOG # AAA133507	HOST Rabbit	APPLICATIONS Western Blot, Immunohistochemistry
-------------------------------	-----------------------	---

PRODUCT SYNONYMS

Immunoglobulin A (IgA); Polyclonal Antibody; Polyclonal Antibody to Immunoglobulin A (IgA); anti-IgA antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Liquid; Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.5mg/mL (varies by lot)
Applicable Applications for anti-IgA antibody	WB (Western Blot), IHC (Immunohistochemistry)
Source	Polyclonal antibody preparation
Cross Reactivity	Rat
Immunogen	Native IgA
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4°C for frequent use. Aliquot and store at -20°C for 24 months. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

IMAGES



WB (Western Blot)

Western Blot; Sample: Human Saliva Primary Ab: 0.05ug/ml Rabbit Anti-Human IgA Antibody Second Ab: 0.2ug/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



IHC (Immunohistochemistry)

DAB staining on IHC-P Sample: Rat Lung Tissue Primary Ab: 10ug/ml Rabbit Anti-Human IgA Antibody Control: Used PBS instead of primary antibody Second Ab: 2ug/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.