

Rabbit anti-Human Plasminogen Activator, Urokinase Receptor (uPAR) Polyclonal Antibody | anti-uPAR antibody

FITC-linked Antibody to Plasminogen Activator, Urokinase Receptor (uPAR)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA134955	Rabbit	Human	Western Blot, Immunofluorescence, Immunocytochemistry, Immunohistochemistry


PRODUCT SYNONYMS

Plasminogen Activator; Urokinase Receptor (uPAR); Polyclonal Antibody; FITC-linked Antibody to Plasminogen Activator; anti-uPAR antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Antigen-specific Affinity Chromatography.
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/ml (varies by lot)
Sequence Length	335
Applicable Applications for anti-uPAR antibody	WB (Western Blot), IF (Immunofluorescence), ICC (Immunocytochemistry), IHC (Immunohistochemistry)
Source	Antibody labeling
Cross Reactivity	Human
Traits	Liquid
Immunogen	() Recombinant Plasminogen Activator, Urokinase Receptor (uPAR)
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

IMAGES



WB (Western Blot)

ADDITIONAL INFORMATION

Product Categories/Family for anti-uPAR antibody	FITC Antibody
--	---------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	12803885
NCBI GeneID	5329
UniProt Accession #	Q03405; Q12876; Q15845; Q16887; Q6IB52; Q9BWT0; Q9NYC8; Q9UD69; Q9UEA6; Q9UM92; Q9UMV0; A8K409
Molecular Weight	36,978 Da
NCBI Official Full Name	Plasminogen activator, urokinase receptor
NCBI Official Synonym Full Names	plasminogen activator, urokinase receptor
NCBI Official Symbol	PLAUR
NCBI Official Synonym Symbols	CD87; UPAR; URKR; U-PAR
NCBI Protein Information	urokinase plasminogen activator surface receptor; monocyte activation antigen Mo3; u-plasminogen activator receptor form 2; urokinase-type plasminogen activator (uPA) receptor
UniProt Protein Name	Urokinase plasminogen activator surface receptor
UniProt Gene Name	PLAUR
UniProt Synonym Gene Names	MO3; UPAR; U-PAR; uPAR
UniProt Entry Name	UPAR_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/plasminogen-activator-urokinase-receptor-upar-antibody-western-blot-immunofluorescence-immunocytochemistry-immunohistochemistry-elisa/134955>