

Rabbit anti-Mouse Plasminogen Activator, Urokinase Receptor (uPAR) Polyclonal Antibody | anti-uPAR antibody

FITC-linked Antibody to Plasminogen Activator, Urokinase Receptor (uPAR)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA135246	Rabbit	Mouse	Immunofluorescence, Immunocytochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Plasminogen Activator; Urokinase Receptor (uPAR); Polyclonal Antibody; FITC-linked Antibody to Plasminogen Activator; anti-uPAR antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse
Clonality	Polyclonal
Purity/Purification	Antigen-specific Affinity Chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH8, containing 1% BSA ,0.05% Proclin-300, 50% glycerol.
Concentration	0.46mg/ml (varies by lot)
Applicable Applications for anti-uPAR antibody	IF (Immunofluorescence), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Source	Antibody labeling
Label	FITC
Traits	Liquid
Immunogen	Recombinant uPAR (Thr15~Asn211) expressed in E.coli
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. Note: As fluorescence can photo bleach when exposed to light, so the antibody must be protected from light.

IMAGES



WB (Western Blot)
Figure. Western Blot; Sample: Recombinant protein.

ADDITIONAL INFORMATION

Product Categories/Family for anti-uPAR antibody	FITC Antibody
--	---------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	12803885
NCBI GeneID	5329
UniProt Accession #	Q03405; Q12876; Q15845; Q16887; Q6IB52; Q9BWT0; Q9NYC8; Q9UD69; Q9UEA6; Q9UM92; Q9UMV0; A8K409
NCBI Official Full Name	Plasminogen activator, urokinase receptor
NCBI Official Synonym Full Names	plasminogen activator, urokinase receptor
NCBI Official Symbol	PLAUR
NCBI Official Synonym Symbols	CD87; UPAR; URKR; U-PAR
NCBI Protein Information	urokinase plasminogen activator surface receptor; monocyte activation antigen Mo3; u-plasminogen activator receptor form 2; urokinase-type plasminogen activator (uPA) receptor
UniProt Protein Name	Urokinase plasminogen activator surface receptor
UniProt Gene Name	PLAUR
UniProt Synonym Gene Names	MO3; UPAR; U-PAR; uPAR
UniProt Entry Name	UPAR_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/plasminogen-activator-urokinase-receptor-upar-antibody-immunofluorescence-immunocytochemistry-immunohistochemistry-western-blot-elisa/135246>