

Human Destrin (DSTN) ELISA Kit | DSTN elisa kit

Human Destrin (DSTN) ELISA Kit

CATALOG #
AAA135622

REACTIVITY
Human


PRODUCT SYNONYMS

Destrin (DSTN); Human Destrin (DSTN) ELISA Kit; ADF; ACTDP; Actin Depolymerizing Factor; Actin Binding Protein; DSTN elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Destrin (DSTN). No significant cross-reactivity or interference between Destrin (DSTN) and analogues was observed.
Sequence Length	165
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.056ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Destrin (DSTN) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Destrin (DSTN) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for DSTN elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Destrin (DSTN). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Destrin (DSTN). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Destrin (DSTN), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Destrin (DSTN) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for DSTN elisa kit	Metabolic pathway

NCBI AND UNIPROT INFORMATION

NCBI GI #	51592111
NCBI GeneID	445516
NCBI Accession #	NP_001004031.1
NCBI GenBank Nucleotide #	NM_001004031.1
UniProt Accession #	P60982; P18282
Molecular Weight	18,506 Da
NCBI Official Full Name	destrin
NCBI Official Symbol	DSTN
NCBI Protein Information	destrin
UniProt Protein Name	Destrin
UniProt Gene Name	DSTN
UniProt Synonym Gene Names	DSN; ADF
UniProt Entry Name	DEST_PIG

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/destrin-dstn/135622>