

Human Myeloid Differentiation Factor 88 (MyD88) ELISA Kit | MyD88 elisa kit

Human Myeloid Differentiation Factor 88 (MyD88) ELISA Kit

CATALOG #
AAA136125

REACTIVITY
Human


PRODUCT SYNONYMS

Myeloid Differentiation Factor 88 (MyD88); Human Myeloid Differentiation Factor 88 (MyD88) ELISA Kit; Myeloid Differentiation Primary Response Gene 88; MyD88 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Myeloid Differentiation Factor 88 (MyD88). No significant cross-reactivity or interference between Myeloid Differentiation Factor 88 (MyD88) and analogues was observed.
Sequence Length	285
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	15.6-1,000pg/mL
Sensitivity	6.0pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Myeloid Differentiation Factor 88 (MyD88) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Myeloid Differentiation Factor 88 (MyD88) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MyD88 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Myeloid Differentiation Factor 88 (MyD88). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Myeloid Differentiation Factor 88 (MyD88). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Myeloid Differentiation Factor 88 (MyD88), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Myeloid Differentiation Factor 88 (MyD88) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for MyD88 elisa kit	Signal transduction; CD & Adhesion molecule; Tumor immunity; Pulmonology

NCBI AND UNIPROT INFORMATION

NCBI GI #	84993590
Molecular Weight	32,727 Da
NCBI Official Full Name	myeloid differentiation factor 88
UniProt Protein Name	Myeloid differentiation primary response protein MyD88
UniProt Gene Name	MyD88
UniProt Entry Name	Q2MHD7_PAROL

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/myeloid-differentiation-factor-88-myd88/136125>