

Human V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) ELISA Kit | KRAS elisa kit

Human V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) ELISA Kit

CATALOG # AAA136211	REACTIVITY Human
-------------------------------	----------------------------


PRODUCT SYNONYMS

V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS); Human V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) ELISA Kit; C-K-RAS; K-RAS2A; K-RAS2B; K-RAS4A; K-RAS4B; KI-RAS; KRAS1; KRAS2; NS3; RASK2; KRAS elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS). No significant cross-reactivity or interference between V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) and analogues was observed.
Sequence Length	189
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	0.312-20ng/mL
Sensitivity	0.113ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for KRAS elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for KRAS elisa kit	Tumor immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	440503003
NCBI GeneID	3845
UniProt Accession #	P01116; P01118; Q96D10; A8K8Z5; B0LPF9
Molecular Weight	21,425 Da
NCBI Official Full Name	v-Ki-ras2 Kirsten rat sarcoma viral oncogene homolog
NCBI Official Synonym Full Names	Kirsten rat sarcoma viral oncogene homolog
NCBI Official Symbol	KRAS
NCBI Official Synonym Symbols	NS; NS3; CFC2; KRAS1; KRAS2; RASK2; KI-RAS; C-K-RAS; K-RAS2A; K-RAS2B; K-RAS4A; K-RAS4B
NCBI Protein Information	GTPase KRas
UniProt Protein Name	GTPase KRas
UniProt Gene Name	KRAS
UniProt Synonym Gene Names	KRAS2; RASK2
UniProt Entry Name	RASK_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.