

Human ATP Binding Cassette Transporter A1 (ABCA1) ELISA Kit | ABCA1 elisa kit

Human ATP Binding Cassette Transporter A1 (ABCA1) ELISA Kit

CATALOG #
AAA137067

REACTIVITY
Human


PRODUCT SYNONYMS

ATP Binding Cassette Transporter A1 (ABCA1); Human ATP Binding Cassette Transporter A1 (ABCA1) ELISA Kit; CERP; ABC-A1; ABC1; HDLDT1; TGD; Cholesterol Efflux Regulatory Protein; Tangier Disease; ABCA1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of ATP Binding Cassette Transporter A1 (ABCA1). No significant cross-reactivity or interference between ATP Binding Cassette Transporter A1 (ABCA1) and analogues was observed.
Sequence Length	2261
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.057ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level ATP Binding Cassette Transporter A1 (ABCA1) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level ATP Binding Cassette Transporter A1 (ABCA1) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ABCA1 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to ATP Binding Cassette Transporter A1 (ABCA1). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to ATP Binding Cassette Transporter A1 (ABCA1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain ATP Binding Cassette Transporter A1 (ABCA1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of ATP Binding Cassette Transporter A1 (ABCA1) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for ABCA1 elisa kit	Signal transduction; Metabolic pathway

NCBI AND UNIPROT INFORMATION

NCBI GI #	21536376
NCBI GeneID	19
NCBI Accession #	NP_005493.2
NCBI GenBank Nucleotide #	NM_005502.3
UniProt Accession #	O95477; Q5VX33; Q96S56; Q96T85; Q9NQV4; Q9UN06; Q9UN07; Q9UN08; Q9UN09
Molecular Weight	254,302 Da
NCBI Official Full Name	ATP-binding cassette sub-family A member 1
NCBI Official Synonym Full Names	ATP-binding cassette, sub-family A (ABC1), member 1
NCBI Official Symbol	ABCA1
NCBI Official Synonym Symbols	TGD; ABC1; CERP; ABC-1; HDLDT1
NCBI Protein Information	ATP-binding cassette sub-family A member 1
UniProt Protein Name	ATP-binding cassette sub-family A member 1
UniProt Gene Name	ABCA1
UniProt Synonym Gene Names	ABC1; CERP; ABC-1; ATP-binding cassette 1
UniProt Entry Name	ABCA1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.