

Human Monoacylglycerol-O-acyltransferase 2 (MOGAT2) ELISA Kit | MOGAT2 elisa kit

Human Monoacylglycerol-O-acyltransferase 2 (MOGAT2) ELISA Kit

CATALOG #
AAA137402

REACTIVITY
Human


PRODUCT SYNONYMS

Monoacylglycerol-O-acyltransferase 2 (MOGAT2); Human Monoacylglycerol-O-acyltransferase 2 (MOGAT2) ELISA Kit; MGAT2; DGAT2L5; DC5; 2-Acylglycerol O-Acyltransferase 2; Diacylglycerol O-acyltransferase candidate 5; Diacylglycerol acyltransferase 2-like protein 5; MOGAT2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Monoacylglycerol-O-acyltransferase 2 (MOGAT2). No significant cross-reactivity or interference between Monoacylglycerol-O-acyltransferase 2 (MOGAT2) and analogues was observed.
Sequence Length	334
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.056ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Monoacylglycerol-O-acyltransferase 2 (MOGAT2) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Monoacylglycerol-O-acyltransferase 2 (MOGAT2) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MOGAT2 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Monoacylglycerol-O-acyltransferase 2 (MOGAT2). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Monoacylglycerol-O-acyltransferase 2 (MOGAT2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Monoacylglycerol-O-acyltransferase 2 (MOGAT2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Monoacylglycerol-O-acyltransferase 2 (MOGAT2) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for MOGAT2 elisa kit	Enzyme & Kinase

NCBI AND UNIPROT INFORMATION

NCBI GI #	74355590
NCBI GeneID	80168
UniProt Accession #	Q3SYC2; Q3SYC1; Q6ZQZ2; Q86UH6; Q9H630; A8K7I3
Molecular Weight	32,298 Da
NCBI Official Full Name	Monoacylglycerol O-acyltransferase 2
NCBI Official Synonym Full Names	monoacylglycerol O-acyltransferase 2
NCBI Official Symbol	MOGAT2
NCBI Official Synonym Symbols	MGAT2; DGAT2L5
NCBI Protein Information	2-acylglycerol O-acyltransferase 2
UniProt Protein Name	2-acylglycerol O-acyltransferase 2
UniProt Gene Name	MOGAT2
UniProt Synonym Gene Names	DC5; DGAT2L5; MGAT2; hMGAT2; hDC5
UniProt Entry Name	MOGT2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.