

Human Farnesoid X Receptor (FXR) ELISA Kit | FXR elisa kit

Human Farnesoid X Receptor (FXR) ELISA Kit

CATALOG #
AAA137586

REACTIVITY
Human


PRODUCT SYNONYMS

Farnesoid X Receptor (FXR); Human Farnesoid X Receptor (FXR) ELISA Kit; NR1H4; BAR; FXR; HRR1; RIP14; Nuclear Receptor Subfamily 1; Group H; Member 4; Bile acid receptor; Farnesol receptor HRR-1; Retinoid X receptor-interacting protein 14; FXR elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Farnesoid X Receptor (FXR). No significant cross-reactivity or interference between Farnesoid X Receptor (FXR) and analogues was observed.
Sequence Length	425
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates, Cell lysates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.056ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Farnesoid X Receptor (FXR) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Farnesoid X Receptor (FXR) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FXR elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Farnesoid X Receptor (FXR). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Farnesoid X Receptor (FXR). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Farnesoid X Receptor (FXR), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Farnesoid X Receptor (FXR) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for FXR elisa kit	Signal transduction; Metabolic pathway; Endocrinology; Hormone metabolism

NCBI AND UNIPROT INFORMATION

NCBI GI #	216409706
NCBI GeneID	9971
UniProt Accession #	Q96RI1; Q8NFP5; Q8NFP6; Q92943; A1L4K5; B7Z412; B7ZM06; F8VYG8
Molecular Weight	48,795 Da
NCBI Official Full Name	farnesoid X receptor
NCBI Official Synonym Full Names	nuclear receptor subfamily 1, group H, member 4
NCBI Official Symbol	NR1H4
NCBI Official Synonym Symbols	BAR; FXR; HRR1; HRR-1; RIP14
NCBI Protein Information	bile acid receptor
UniProt Protein Name	Bile acid receptor
UniProt Gene Name	NR1H4
UniProt Synonym Gene Names	BAR; FXR; HRR1; RIP14; RXR-interacting protein 14
UniProt Entry Name	NR1H4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/farnesoid-x-receptor-fxr/137586>