

Human Adenylate Cyclase 2, Brain (ADCY2) ELISA Kit | ADCY2 elisa kit

Human Adenylate Cyclase 2, Brain (ADCY2) ELISA Kit

CATALOG #
AAA137846

REACTIVITY
Human


PRODUCT SYNONYMS

Adenylate Cyclase 2; Brain (ADCY2); Human Adenylate Cyclase 2; Brain (ADCY2) ELISA Kit; HBAC2; ATP pyrophosphate-lyase 2; Adenylate cyclase type II; ADCY2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Adenylate Cyclase 2, Brain (ADCY2). No significant cross-reactivity or interference between Adenylate Cyclase 2, Brain (ADCY2) and analogues was observed.
Sequence Length	911
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates, Cell lysates and other biological fluids
Detection Range	0.312-20ng/mL
Sensitivity	0.114ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Adenylate Cyclase 2, Brain (ADCY2) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Adenylate Cyclase 2, Brain (ADCY2) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ADCY2 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Adenylate Cyclase 2, Brain (ADCY2). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Adenylate Cyclase 2, Brain (ADCY2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Adenylate Cyclase 2, Brain (ADCY2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Adenylate Cyclase 2, Brain (ADCY2) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for ADCY2 elisa kit	Enzyme & Kinase; Metabolic pathway; Neuroscience

NCBI AND UNIPROT INFORMATION

NCBI GI #	115387102
NCBI GeneID	108
NCBI Accession #	NP_065433.2
NCBI GenBank Nucleotide #	NM_020546.2
UniProt Accession #	Q08462; Q2NKL8; Q9UDB2; Q9UPU2; B7Z2C1
Molecular Weight	103,158 Da
NCBI Official Full Name	adenylate cyclase type 2
NCBI Official Synonym Full Names	adenylate cyclase 2 (brain)
NCBI Official Symbol	ADCY2
NCBI Official Synonym Symbols	AC2; HBAC2
NCBI Protein Information	adenylate cyclase type 2
UniProt Protein Name	Adenylate cyclase type 2
UniProt Gene Name	ADCY2
UniProt Synonym Gene Names	KIAA1060
UniProt Entry Name	ADCY2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/adenylate-cyclase-2-brain-adcy2/137846>