

Human Fatty Acid Synthase (FASN) ELISA Kit | FASN elisa kit

Human Fatty Acid Synthase (FASN) ELISA Kit

CATALOG #
AAA137890

REACTIVITY
Human


PRODUCT SYNONYMS

Fatty Acid Synthase (FASN); Human Fatty Acid Synthase (FASN) ELISA Kit; FAS; OA519; SDR27X1; Short Chain Dehydrogenase/Reductase Family 27X; Member 1; S-acetyltransferase; 3-oxoacyl synthase; Oleoyl hydrolase; Enoyl-acyl-carrier-protein reductase; FASN elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Fatty Acid Synthase (FASN). No significant cross-reactivity or interference between Fatty Acid Synthase (FASN) and analogues was observed.
Sequence Length	2,511
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	0.312-20ng/mL
Sensitivity	0.131ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Fatty Acid Synthase (FASN) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Fatty Acid Synthase (FASN) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FASN elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Fatty Acid Synthase (FASN). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Fatty Acid Synthase (FASN). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Fatty Acid Synthase (FASN), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Fatty Acid Synthase (FASN) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for FASN elisa kit	Enzyme & Kinase

NCBI AND UNIPROT INFORMATION

NCBI GI #	41872631
NCBI GeneID	2194
NCBI Accession #	NP_004095.4
NCBI GenBank Nucleotide #	NM_004104.4
UniProt Accession #	P49327; Q13479; Q16702; Q4LE83; Q6P4U5; Q6SS02; Q969R1; Q96C68; Q96IT0
Molecular Weight	273,427 Da
NCBI Official Full Name	fatty acid synthase
NCBI Official Synonym Full Names	fatty acid synthase
NCBI Official Symbol	FASN
NCBI Official Synonym Symbols	FAS; OA-519; SDR27X1
NCBI Protein Information	fatty acid synthase
UniProt Protein Name	Fatty acid synthase
UniProt Gene Name	FASN
UniProt Synonym Gene Names	FAS
UniProt Entry Name	FAS_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/fatty-acid-synthase-fasn/137890>