

Rat Apoptosis Inducing Factor (AIF) ELISA Kit | AIF elisa kit

Rat Apoptosis Inducing Factor (AIF) ELISA Kit

CATALOG #
AAA137897

REACTIVITY
Rat


PRODUCT SYNONYMS

Apoptosis Inducing Factor (AIF); Rat Apoptosis Inducing Factor (AIF) ELISA Kit; PDCD8; Programmed Cell Death protein 8; Apoptosis-inducing factor 1; mitochondrial; AIF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Apoptosis Inducing Factor (AIF). No significant cross-reactivity or interference between Apoptosis Inducing Factor (AIF) and analogues was observed.
Sequence Length	237
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.061ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Apoptosis Inducing Factor (AIF) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Apoptosis Inducing Factor (AIF) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for AIF elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Apoptosis Inducing Factor (AIF). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Apoptosis Inducing Factor (AIF). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Apoptosis Inducing Factor (AIF), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Apoptosis Inducing Factor (AIF) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for AIF elisa kit	Signal transduction; Apoptosis

NCBI AND UNIPROT INFORMATION

NCBI GI #	55585894
NCBI GeneID	9131
UniProt Accession #	O95831; Q1L6K4; Q1L6K6; Q2QKE4; Q5JUZ7; Q6I9X6; Q9Y3I3; Q9Y3I4; A4QPB4; B1ALN1; B2RB08; D3DTE9
Molecular Weight	26,033 Da
NCBI Official Full Name	apoptosis-inducing factor, partial
NCBI Official Synonym Full Names	apoptosis-inducing factor, mitochondrion-associated, 1
NCBI Official Symbol	AIFM1
NCBI Official Synonym Symbols	AIF; CMT2D; CMTX4; COWCK; NADMR; NAMSD; PDCD8; COXPD6
NCBI Protein Information	apoptosis-inducing factor 1, mitochondrial
UniProt Protein Name	Apoptosis-inducing factor 1, mitochondrial
UniProt Gene Name	AIFM1
UniProt Synonym Gene Names	AIF; PDCD8
UniProt Entry Name	AIFM1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.