

Human Mothers Against Decapentaplegic Homolog 2 (Smad2) ELISA Kit | Smad2 elisa kit

Human Mothers Against Decapentaplegic Homolog 2 (Smad2) ELISA Kit

CATALOG #
AAA137914

REACTIVITY
Human


PRODUCT SYNONYMS

Mothers Against Decapentaplegic Homolog 2 (Smad2); Human Mothers Against Decapentaplegic Homolog 2 (Smad2) ELISA Kit; JV18; JV18-1; MADH2; MADR2; HMAD-2; HSMAD2; Mad-related protein 2; Smad2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Smad2. No significant cross-reactivity or interference between Smad2 and analogues was observed.
Sequence Length	437
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates, Cell lysates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.057ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Smad2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Smad2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Smad2 elisa kit	<p>Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of Smad2 in human tissue homogenates, cell lysates and other biological fluids.</p> <p>Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to Smad2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Smad2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Smad2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of Smad2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.</p>
Product Categories/Family for Smad2 elisa kit	Signal transduction; Apoptosis; Tumor immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	209693426
NCBI GeneID	4087
NCBI Accession #	NP_001129409.1
NCBI GenBank Nucleotide #	NM_001135937.2
UniProt Accession #	Q15796
Molecular Weight	48,956 Da
NCBI Official Full Name	mothers against decapentaplegic homolog 2 isoform 2
NCBI Official Synonym Full Names	SMAD family member 2
NCBI Official Symbol	SMAD2
NCBI Official Synonym Symbols	JV18; MADH2; MADR2; JV18-1; hMAD-2; hSMAD2
NCBI Protein Information	mothers against decapentaplegic homolog 2
UniProt Protein Name	Mothers against decapentaplegic homolog 2
UniProt Gene Name	SMAD2
UniProt Synonym Gene Names	MADH2; MADR2; MAD homolog 2; Mothers against DPP homolog 2; hMAD-2; SMAD 2; Smad2; hSMAD2
UniProt Entry Name	SMAD2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/mothers-against-decapentaplegic-homolog-2-smad2/137914>