

Human Erythropoietin Receptor (EPOR) ELISA Kit | EPOR elisa kit

Human Erythropoietin Receptor (EPOR) ELISA Kit

CATALOG #
AAA138060

REACTIVITY
Human


PRODUCT SYNONYMS

Erythropoietin Receptor (EPOR); Human Erythropoietin Receptor (EPOR) ELISA Kit; EPO-R; EPOR elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Erythropoietin Receptor (EPOR). No significant cross-reactivity or interference between Erythropoietin Receptor (EPOR) and analogues was observed.
Sequence Length	328
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.058ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Erythropoietin Receptor (EPOR) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Erythropoietin Receptor (EPOR) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for EPOR elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Erythropoietin Receptor (EPOR). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Erythropoietin Receptor (EPOR). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Erythropoietin Receptor (EPOR), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Erythropoietin Receptor (EPOR) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for EPOR elisa kit	Signal transduction; Hematology

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503591
NCBI GeneID	2057
NCBI Accession #	NP_000112.1
NCBI GenBank Nucleotide #	NM_000121.3
UniProt Accession #	P19235; Q15443; Q2M205; B2RCG4
Molecular Weight	35,809 Da
NCBI Official Full Name	erythropoietin receptor
NCBI Official Synonym Full Names	erythropoietin receptor
NCBI Official Symbol	EPOR
NCBI Official Synonym Symbols	EPO-R
NCBI Protein Information	erythropoietin receptor
UniProt Protein Name	Erythropoietin receptor
UniProt Gene Name	EPOR
UniProt Synonym Gene Names	EPO-R
UniProt Entry Name	EPOR_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/erythropoietin-receptor-epor/138060>