

Human Glypican 3 (GPC3) ELISA Kit | GPC3 elisa kit

Human Glypican 3 (GPC3) ELISA Kit

CATALOG #
AAA138423

REACTIVITY
Human


PRODUCT SYNONYMS

Glypican 3 (GPC3); Human Glypican 3 (GPC3) ELISA Kit; DGSX; OCI5; SDYS; SGB; SGBS1; MXR7; Glypican Proteoglycan 3; GTR2-2; Intestinal protein OCI-5; Secreted glypican-3; GPC3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of GPC3. No significant cross-reactivity or interference between GPC3 and analogues was observed.
Sequence Length	603
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.062ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level GPC3 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level GPC3 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for GPC3 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to GPC3. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to GPC3. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain GPC3, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of GPC3 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for GPC3 elisa kit	Tumor immunity; Infection immunity; Developmental science

NCBI AND UNIPROT INFORMATION

NCBI GI #	2599578
NCBI GeneID	2719
UniProt Accession #	P51654; Q2L880; Q2L882; C9JLE3; G3V1R0
Molecular Weight	68,414 Da
NCBI Official Full Name	glypican 3, partial
NCBI Official Synonym Full Names	glypican 3
NCBI Official Symbol	GPC3
NCBI Official Synonym Symbols	SGB; DGSX; MXR7; SDYS; SGBS; OCI-5; SGBS1; GTR2-2
NCBI Protein Information	glypican-3
UniProt Protein Name	Glypican-3
UniProt Gene Name	GPC3
UniProt Synonym Gene Names	OCI5
UniProt Entry Name	GPC3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/glypican-3-gpc3/138423>