

Mouse Pigment Epithelium Derived Factor (PEDF) ELISA Kit | PEDF elisa kit

Mouse Pigment Epithelium Derived Factor (PEDF) ELISA Kit

CATALOG #
AAA138757

REACTIVITY
Mouse


PRODUCT SYNONYMS

Pigment Epithelium Derived Factor (PEDF); Mouse Pigment Epithelium Derived Factor (PEDF) ELISA Kit; SERPINF1; EPC1; PIG35; SDF3; Serpin F1; Cell proliferation-inducing gene 35; Serpin Peptidase Inhibitor; Clade F Member 1(Alpha-2 Antiplasmin); Stromal Cell Derived Factor 3; PEDF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of PEDF. No significant cross-reactivity or interference between PEDF and analogues was observed.
Sequence Length	418
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.059ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level PEDF were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level PEDF were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PEDF elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of PEDF in mouse serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids. Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to PEDF. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to PEDF. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain PEDF, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of PEDF in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for PEDF elisa kit	Cytokine; Neuroscience

NCBI AND UNIPROT INFORMATION

NCBI GI #	39725934
NCBI GeneID	5176
NCBI Accession #	NP_002606.3
NCBI GenBank Nucleotide #	NM_002615.5
UniProt Accession #	P36955; Q13236; Q2TU83; Q96CT1; Q96R01; Q9BWA4; F1T092
Molecular Weight	46,312 Da
NCBI Official Full Name	pigment epithelium-derived factor
NCBI Official Synonym Full Names	serpin peptidase inhibitor, clade F (alpha-2 antiplasmin, pigment epithelium derived factor), member 1
NCBI Official Symbol	SERPINF1
NCBI Official Synonym Symbols	OI6; OI12; PEDF; EPC-1; PIG35
NCBI Protein Information	pigment epithelium-derived factor
UniProt Protein Name	Pigment epithelium-derived factor
UniProt Gene Name	SERPINF1
UniProt Synonym Gene Names	PEDF; PEDF
UniProt Entry Name	PEDF_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.