

Mouse Tissue Inhibitors Of Metalloproteinase 4 (TIMP4) ELISA Kit | TIMP4 elisa kit

Mouse Tissue Inhibitors Of Metalloproteinase 4 (TIMP4) ELISA Kit

CATALOG #
AAA139284

REACTIVITY
Mouse


PRODUCT SYNONYMS

Tissue Inhibitors Of Metalloproteinase 4 (TIMP4); Mouse Tissue Inhibitors Of Metalloproteinase 4 (TIMP4) ELISA Kit; TIMP Metallopeptidase Inhibitor 4; Tissue Inhibitor of Metalloproteinases 4; TIMP4 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Tissue Inhibitors Of Metalloproteinase 4 (TIMP4). No significant cross-reactivity or interference between Tissue Inhibitors Of Metalloproteinase 4 (TIMP4) and analogues was observed.
Sequence Length	224
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma and other biological fluids
Detection Range	78.12-5000pg/mL
Sensitivity	27pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Tissue Inhibitors Of Metalloproteinase 4 (TIMP4) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Tissue Inhibitors Of Metalloproteinase 4 (TIMP4) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TIMP4 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Tissue Inhibitors Of Metalloproteinase 4 (TIMP4). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Tissue Inhibitors Of Metalloproteinase 4 (TIMP4). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Tissue Inhibitors Of Metalloproteinase 4 (TIMP4), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Tissue Inhibitors Of Metalloproteinase 4 (TIMP4) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for TIMP4 elisa kit	Tumor immunity; Cardiovascular biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	48734400
NCBI GeneID	110595
UniProt Accession #	Q9JHB3; Q924B7
Molecular Weight	25,774 Da
NCBI Official Full Name	tissue inhibitor of metalloproteinase 4, partial
NCBI Official Synonym Full Names	tissue inhibitor of metalloproteinase 4
NCBI Official Symbol	Timp4
NCBI Official Synonym Symbols	TIMP-4
NCBI Protein Information	metalloproteinase inhibitor 4
UniProt Protein Name	Metalloproteinase inhibitor 4
UniProt Gene Name	Timp4
UniProt Synonym Gene Names	TIMP-4
UniProt Entry Name	TIMP4_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.