

Human Fusion (FUS) ELISA Kit | FUS elisa kit

Human Fusion (FUS) ELISA Kit

CATALOG #
AAA139580

REACTIVITY
Human


PRODUCT SYNONYMS

Fusion (FUS); Human Fusion (FUS) ELISA Kit; CHOP; ALS6; TLS; hnRNP-P2; Amyotrophic Lateral Sclerosis 6; Heterogeneous Nuclear Ribonucleoprotein P2; 75 kDa DNA-pairing protein; Translocated in liposarcoma protein; FUS elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of fusion. No significant cross-reactivity or interference between fusion and analogues was observed.
Sequence Length	549
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates, Cell lysates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.054ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level fusion were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level fusion were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FUS elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to fusion. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to fusion. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain fusion, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of fusion in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for FUS elisa kit	Signal transduction; Developmental science; Autoimmunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	374351912
Molecular Weight	58,772 Da
NCBI Official Full Name	fusion
UniProt Protein Name	Fusion glycoprotein F0
UniProt Entry Name	H6VVU1_9PARA

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/fusion-fus/139580>