

Human Cluster Of Differentiation 226 (CD226) ELISA Kit | CD226 elisa kit

Human Cluster Of Differentiation 226 (CD226) ELISA Kit

CATALOG #
AAA139583

REACTIVITY
Human


PRODUCT SYNONYMS

Cluster Of Differentiation 226 (CD226); Human Cluster Of Differentiation 226 (CD226) ELISA Kit; DNAM1; PTA1; TLISA1; DNAX accessory molecule 1; CD226 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Cluster Of Differentiation 226 (CD226). No significant cross-reactivity or interference between Cluster Of Differentiation 226 (CD226) and analogues was observed.
Sequence Length	336
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	31.2-2,000pg/mL
Sensitivity	12.9pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Cluster Of Differentiation 226 (CD226) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Cluster Of Differentiation 226 (CD226) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CD226 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Cluster Of Differentiation 226 (CD226). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Cluster Of Differentiation 226 (CD226). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Cluster Of Differentiation 226 (CD226), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Cluster Of Differentiation 226 (CD226) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for CD226 elisa kit	CD & Adhesion molecule; Tumor immunity; Infection immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	171460997
NCBI GeneID	10666
NCBI Accession #	NP_006557.2
NCBI GenBank Nucleotide #	NM_006566.3
UniProt Accession #	Q15762; B2R818
Molecular Weight	38,614 Da
NCBI Official Full Name	CD226 antigen isoform a
NCBI Official Synonym Full Names	CD226 molecule
NCBI Official Symbol	CD226
NCBI Official Synonym Symbols	PTA1; DNAM1; DNAM-1; TLIISA1
NCBI Protein Information	CD226 antigen
UniProt Protein Name	CD226 antigen
UniProt Gene Name	CD226
UniProt Synonym Gene Names	DNAM1; DNAM-1
UniProt Entry Name	CD226_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/cluster-of-differentiation-226-cd226/139583>