

# Human Adenylate Cyclase Activating Polypeptide 1, Pituitary (ADCYAP1) ELISA Kit | ADCYAP1 elisa kit

Human Adenylate Cyclase Activating Polypeptide 1, Pituitary (ADCYAP1) ELISA Kit

CATALOG #  
**AAA139872**

REACTIVITY  
**Human**


## PRODUCT SYNONYMS

Adenylate Cyclase Activating Polypeptide 1; Pituitary (ADCYAP1); Human Adenylate Cyclase Activating Polypeptide 1; Pituitary (ADCYAP1) ELISA Kit; ADCYAP1 elisa kit

## PRODUCT SPECIFICATIONS

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity              | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Specificity             | This assay has high sensitivity and excellent specificity for detection of ADCYAP1. No significant cross-reactivity or interference between ADCYAP1 and analogues was observed.                                                                                                                                                                                                                                                                                                            |
| Sequence Length         | 176                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Samples                 | Human serum, plasma, tissue homogenates and other biological fluids                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Assay Type              | Quantitative Sandwich                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Detection Range         | 78-5,000pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Sensitivity             | <27pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Intra-assay Precision   | Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level ADCYAP1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%                                                                                                                                                                                                                                                                                                                  |
| Inter-assay Precision   | Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level ADCYAP1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%                                                                                                                                                                                                                                                                                |
| Preparation and Storage | The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.<br>To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end. |

## IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for ADCYAP1 elisa kit | <p>Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of ADCYAP1 in human serum, plasma, tissue homogenates and other biological fluids.</p> <p>Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to ADCYAP1. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to ADCYAP1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain ADCYAP1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of ADCYAP1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.</p> |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

NCBI AND UNIPROT INFORMATION

|                                  |                                                                  |
|----------------------------------|------------------------------------------------------------------|
| NCBI GI #                        | 119622111                                                        |
| NCBI GeneID                      | 116                                                              |
| UniProt Accession #              | P18509; Q52LQ0; B2R7N4                                           |
| Molecular Weight                 | 18,835 Da                                                        |
| NCBI Official Full Name          | adenylate cyclase activating polypeptide 1 (pituitary)           |
| NCBI Official Synonym Full Names | adenylate cyclase activating polypeptide 1 (pituitary)           |
| NCBI Official Symbol             | ADCYAP1                                                          |
| NCBI Official Synonym Symbols    | PACAP                                                            |
| NCBI Protein Information         | pituitary adenylate cyclase-activating polypeptide; prepro-PACAP |
| UniProt Protein Name             | Pituitary adenylate cyclase-activating polypeptide               |
| UniProt Gene Name                | ADCYAP1                                                          |
| UniProt Synonym Gene Names       | PACAP; PACAP-27; PACAP27; PACAP-38; PACAP38                      |
| UniProt Entry Name               | PACA_HUMAN                                                       |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/adenylate-cyclase-activating-polypeptide-1-pituitary-adcyap1/139872>