

Human Vascular Endothelial Growth Factor C (VEGFC) CLIA Kit | VEGFC clia kit

Human Vascular Endothelial Growth Factor C (VEGFC) CLIA Kit

CATALOG #
AAA140940

REACTIVITY
Human


PRODUCT SYNONYMS

Vascular Endothelial Growth Factor C (VEGFC); Human Vascular Endothelial Growth Factor C (VEGFC) CLIA Kit; VEGF-C; Flt4-L; VRPL; Vascular Endothelial Growth Factor-Related Protein; VEGFC clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Vascular Endothelial Growth Factor C (VEGFC). No significant cross-reactivity or interference between Vascular Endothelial Growth Factor C (VEGFC) and analogues was observed.
Sequence Length	419
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	2.74-2,000pg/mL
Sensitivity	0.92pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Vascular Endothelial Growth Factor C (VEGFC) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Vascular Endothelial Growth Factor C (VEGFC) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for VEGFC clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Vascular Endothelial Growth Factor C (VEGFC). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Vascular Endothelial Growth Factor C (VEGFC). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Vascular Endothelial Growth Factor C (VEGFC) level in the sample or standard.;
Product Categories/Family for VEGFC clia kit	Cytokine; Tumor immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	4885653
NCBI GeneID	7424
NCBI Accession #	NP_005420.1
NCBI GenBank Nucleotide #	NM_005429.4
Molecular Weight	46,883 Da
NCBI Official Full Name	vascular endothelial growth factor C preproprotein
NCBI Official Synonym Full Names	vascular endothelial growth factor C
NCBI Official Symbol	VEGFC
NCBI Official Synonym Symbols	VRP; Flt4-L; LMPH1D
NCBI Protein Information	vascular endothelial growth factor C
UniProt Protein Name	Vascular endothelial growth factor C
UniProt Gene Name	VEGFC
UniProt Synonym Gene Names	VEGF-C; Flt4-L; VRP
UniProt Entry Name	VEGFC_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.