

Human Tumor Protein p53 (TP53) CLIA Kit | TP53 clia kit

Human Tumor Protein p53 (TP53) CLIA Kit

CATALOG #
AAA140979

REACTIVITY
Human


PRODUCT SYNONYMS

Tumor Protein p53 (TP53); Human Tumor Protein p53 (TP53) CLIA Kit; p53; LFS1; TRP53; Li-Fraumeni Syndrome; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53; TP53 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Tumor Protein p53 (TP53). No significant cross-reactivity or interference between Tumor Protein p53 (TP53) and analogues was observed.
Sequence Length	393
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	27.4-20,000pg/mL
Sensitivity	9.5pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Tumor Protein p53 (TP53) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Tumor Protein p53 (TP53) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TP53 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Tumor Protein p53 (TP53). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Tumor Protein p53 (TP53). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Tumor Protein p53 (TP53) level in the sample or standard.;
Product Categories/Family for TP53 clia kit	Signal transduction ; Metabolic pathway ; Tumor immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	13097807
NCBI GeneID	7157
Molecular Weight	24,401 Da
NCBI Official Full Name	Tumor protein p53
NCBI Official Synonym Full Names	tumor protein p53
NCBI Official Symbol	TP53
NCBI Official Synonym Symbols	P53; BCC7; LFS1; TRP53
NCBI Protein Information	cellular tumor antigen p53
UniProt Protein Name	Cellular tumor antigen p53
UniProt Gene Name	TP53
UniProt Synonym Gene Names	P53
UniProt Entry Name	P53_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/tumor-protein-p53-tp53/140979>