

Human Plasminogen (Plg) CLIA Kit | Plg clia kit

Human Plasminogen (Plg) CLIA Kit

CATALOG #
AAA141103

REACTIVITY
Human


PRODUCT SYNONYMS

Plasminogen (Plg); Human Plasminogen (Plg) CLIA Kit; PL; Plasmin; Activation peptide; Angiostatin; Plg clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Plasminogen (Plg). No significant cross-reactivity or interference between Plasminogen (Plg) and analogues was observed.
Sequence Length	810
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	0.41-300ng/mL
Sensitivity	0.15ng/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Plasminogen (Plg) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Plasminogen (Plg) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Plg clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Plasminogen (Plg). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Plasminogen (Plg). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Plasminogen (Plg) level in the sample or standard.;
Product Categories/Family for Plg clia kit	Signal transduction ; Hematology

NCBI AND UNIPROT INFORMATION

NCBI GI #	190026
NCBI GeneID	5340
Molecular Weight	90,569 Da
NCBI Official Full Name	plasminogen
NCBI Official Synonym Full Names	plasminogen
NCBI Official Symbol	PLG
NCBI Protein Information	plasminogen
UniProt Protein Name	Plasminogen
UniProt Gene Name	PLG
UniProt Entry Name	PLMN_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/plasminogen-plg/141103>