

Human Platelet Derived Growth Factor AB (PDGFAB) CLIA Kit | PDGFAB clia kit

Human Platelet Derived Growth Factor AB (PDGFAB) CLIA Kit

CATALOG #
AAA141147

REACTIVITY
Human


PRODUCT SYNONYMS

Platelet Derived Growth Factor AB (PDGFAB); Human Platelet Derived Growth Factor AB (PDGFAB) CLIA Kit; PDGF-AB; PDGFAB clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Platelet Derived Growth Factor AB (PDGFAB). No significant cross-reactivity or interference between Platelet Derived Growth Factor AB (PDGFAB) and analogues was observed.
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	27.4-20,000pg/mL
Sensitivity	12.7pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Platelet Derived Growth Factor AB (PDGFAB) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Platelet Derived Growth Factor AB (PDGFAB) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PDGFAB clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Platelet Derived Growth Factor AB (PDGFAB). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Platelet Derived Growth Factor AB (PDGFAB). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Platelet Derived Growth Factor AB (PDGFAB) level in the sample or standard.;
Product Categories/Family for PDGFAB clia kit	Cytokine; Tumor immunity; Hepatology

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/platelet-derived-growth-factor-ab-pdghab/141147>