

Rabbit Proteasome 26S Subunit Polyclonal Antibody | anti-PSMC3 antibody

Polyclonal Antibody to Proteasome 26S Subunit, ATPase 3 (PSMC3)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA141635	Rabbit	Human, Mouse, Rat	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Proteasome 26S Subunit; Polyclonal Antibody; Polyclonal Antibody to Proteasome 26S Subunit; ATPase 3 (PSMC3); anti-PSMC3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against PSMC3. It has been selected for its ability to recognize PSMC3 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid
Concentration	500ug/mL (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag. His-tag and T7-tag and its sequence is listed below. MGSSH HHHHHSSGLV PRGSHMASMT GGQMGGRGSE F-NLLPNIES PVTRQEKMAT VWDEAEQDGI GEEVLKMSTE EIIQRTRLLD SEIKIMKSEV LRVTHELQAM KDKIKENSEK IKVNKTLPLY VSNVIELLDV DPNDQEEDGA NIDLSQRKG KCAVIKTSTR QTYFLPVI GLVDAEKLKPGD LVGVNKDSYL ILETLPTEYD SRVKAMEVDE RPTEQYSDIG GLDKQIQELV EAIVLPMNHK EKFNELGIQP PKGVLMYGPP GTGKTL LARA CAAQTKATFL KLAGPQLVQM FIGDGAKLVR DAFALAKEKA PSIIFIDELD AIGTKRFDSE KAGDREVQRT MLELLQLDG FQPNTQVKVI AATNRVDILD PALLRSGRLD RKIEFPMPNE EARARIMQIH SRKMNVSPDV NYEELARCTD DFNGAQCKAV CVEAGMIALR RGATELTHED YMEGILEVQA KKKANLQYYA
Applicable Applications for anti-PSMC3 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	PSMC3 (Asn2~Ala439)
Organism Species	Homo sapiens (Human)
Cross Reactivity	Human, Mouse
Conjugate	No Conjugate
Immunogen	Recombinant PSMC3 (Asn2~Ala439) expressed in E. Coli.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on fromalin fixed paraffin-embedded Kidney tissue



WB (Western Blot)
Western Blot: Sample: Recombinant PSMC3, Human.



WB (Western Blot)
Western Blot: Lane1: Human 293T cells; Lane2: Human Hela Cells; Lane3: Human HepG2 cells; Lane4: Human Saliva Tissue.

NCBI AND UNIPROT INFORMATION

NCBI GI #	21361144
NCBI GeneID	5702
NCBI Accession #	NP_002795.2
NCBI GenBank Nucleotide #	NM_002804.4
UniProt Accession #	P17980; Q3B757; Q3B865; Q53HU5; Q6GPG8; Q6IBS1; Q96HD3; B2R8V1
Molecular Weight	49,204 Da
NCBI Official Full Name	26S proteasome regulatory subunit 6A
NCBI Official Synonym Full Names	proteasome 26S subunit, ATPase 3
NCBI Official Symbol	PSMC3
NCBI Official Synonym Symbols	TBP1
NCBI Protein Information	26S proteasome regulatory subunit 6A; 26S protease regulatory subunit 6A
UniProt Protein Name	26S proteasome regulatory subunit 6A
UniProt Gene Name	PSMC3
UniProt Synonym Gene Names	TBP1; TBP-1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/teasome-26s-subunit-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/141635>