

Rabbit anti-Human, Mouse Chloride Intracellular Channel Protein 1 Polyclonal Antibody | anti-CLIC1 antibody

Polyclonal Antibody to Chloride Intracellular Channel Protein 1 (CLIC1)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA141648	Rabbit	Human, Mouse	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Chloride Intracellular Channel Protein 1; Polyclonal Antibody; Polyclonal Antibody to Chloride Intracellular Channel Protein 1 (CLIC1); anti-CLIC1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against CLIC1. It has been selected for its ability to recognize CLIC1 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid
Concentration	0.48mg/ml (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag, His-tag and T7-tag and its sequence is listed below. MGSSH HHHHHSSGLV PRGSHMASMT GGQQMGRGS- KIEEFLEAVL CPPRYPKLAA LNPESTAGL DIFAKFSAYI KNSNPALNDN LEKGLLKALK VLDNYLTSLP PEEVDETSAE DEGVSQRKFL DGNELTLADC NLLPKLHIVQ VVCKKYRGFT IPEAFRGVHR YLSNAYAREE FASTCPDDEE IELAYEQVAK ALK
Applicable Applications for anti-CLIC1 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	CLIC1 (Lys79~Lys241)
Organism Species	Homo sapiens (Human)
Cross Reactivity	Human
Conjugate	No Conjugate
Immunogen	Recombinant CLIC1 (Lys79~Lys241) expressed in E. coli.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Cancer Tissue.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Kidney Tissue



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant CLIC1, Human.



WB (Western Blot)
Western Blot: Sample: Lane1: Human Liver Tissue; Lane2: Human Lung Tissue; Lane3: Human HL-60 Cells; Lane4: Human Hela Cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	567757607
NCBI GeneID	1192
NCBI Accession #	NP_001274522.1
NCBI GenBank Nucleotide #	NM_001287593.1
UniProt Accession #	O00299; Q15089; Q502X1
Molecular Weight	26,923 Da
NCBI Official Full Name	chloride intracellular channel protein 1

NCBI Official Synonym Full Names	chloride intracellular channel 1
NCBI Official Symbol	CLIC1
NCBI Official Synonym Symbols	G6; CL1C1; NCC27
NCBI Protein Information	chloride intracellular channel protein 1
UniProt Protein Name	Chloride intracellular channel protein 1
UniProt Gene Name	CLIC1
UniProt Synonym Gene Names	G6; NCC27; NCC27; hRNCC

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/chloride-intracellular-channel-protein-1-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/141648>