

Rabbit anti-Human, Mouse High Mobility Group Protein 17 Polyclonal Antibody | anti-HMG17 antibody

Polyclonal Antibody to High Mobility Group Protein 17 (HMG17)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA141903	Rabbit	Human, Mouse	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot

PRODUCT SYNONYMS


High Mobility Group Protein 17; Polyclonal Antibody; Polyclonal Antibody to High Mobility Group Protein 17 (HMG17); anti-HMG17 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against HMG17. It has been selected for its ability to recognize HMG17 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid
Concentration	500ug/mL (varies by lot)
Applicable Applications for anti-HMG17 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	HMG17 (Pro2~Gln81)
Organism Species	Homo sapiens (Human)
Cross Reactivity	Human
Conjugate	No Conjugate
Immunogen	Recombinant HMG17 (Pro2~Gln81) expressed in E Coli.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Kidney Tissue




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Skin Cancer Tissue



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Stomach Cancer Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant HMG17, Human.



WB (Western Blot)
Western Blot: Sample: Lane1: Human Jurkat Cells; Lane2: Human K562 Cells; Lane3: Human HL-60 Cells; Lane4: Human HeLa Cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031749
NCBI GeneID	3151
NCBI Accession #	NP_005508.1
NCBI GenBank Nucleotide #	NM_005517.3
UniProt Accession #	P05204; Q0VGD5; Q6FGI5; Q96C64
Molecular Weight	9,393 Da

NCBI Official Full Name	non-histone chromosomal protein HMG-17
NCBI Official Synonym Full Names	high mobility group nucleosomal binding domain 2
NCBI Official Symbol	HMGN2
NCBI Official Synonym Symbols	HMG17
NCBI Protein Information	non-histone chromosomal protein HMG-17
UniProt Protein Name	Non-histone chromosomal protein HMG-17
UniProt Gene Name	HMGN2
UniProt Synonym Gene Names	HMG17

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/high-mobility-group-protein-17-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/141903>