

Rabbit anti-Human, Rat Intercellular Adhesion Molecule 2 Polyclonal Antibody | anti-ICAM2 antibody

Polyclonal Antibody to Intercellular Adhesion Molecule 2 (ICAM2)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA142564	Rabbit	Human, Rat	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot

PRODUCT SYNONYMS


Intercellular Adhesion Molecule 2; Polyclonal Antibody; Polyclonal Antibody to Intercellular Adhesion Molecule 2 (ICAM2); anti-ICAM2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against ICAM2. It has been selected for its ability to recognize ICAM2 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid
Concentration	1mg/ml (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag, His-tag and T7-tag and its sequence is listed below. MGSSH HHHHHSSGLV PRGSHMASMT GGQQMGRGS- VYIRSEKQIV KATEAWRVNC STSCAAPEIG GLETPTNKLM LEEDPHGKWI EFLVSNATVD TVLLCHFTCS GKQQAESFNI RVEEPPAQVT LKLQPPRVFM GEAFTIECKV PSVKPLESLT LSLLCGRETL KNQTFGGAET VPEEVIAIFN STALKKDGLN FSCQAELDLR PHGGSLYRRI SEYQSLEVYE IRQDNQMVII IV
Applicable Applications for anti-ICAM2 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	ICAM2 (Val29~Phe247)
Organism Species	Rattus norvegicus (Rat)
Cross Reactivity	Human, Rat
Conjugate	No Conjugate
Immunogen	Recombinant ICAM2 (Val29~Phe247) expressed in E. coli.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Rat Intestine Tissue




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Rat Liver Tissue



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Rat Heart Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant ICAM2, Rat.



WB (Western Blot)
Western Blot: Sample: Lane1: Human Jurkat Cells; Lane2: Human Hela Cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	56090546
NCBI GeneID	360647
NCBI Accession #	NP_001007726.1
NCBI GenBank Nucleotide #	NM_001007725.1
UniProt Accession #	Q6AXM6
Molecular Weight	31,091 Da

NCBI Official Full Name	intercellular adhesion molecule 2
NCBI Official Synonym Full Names	intercellular adhesion molecule 2
NCBI Official Symbol	Icam2
NCBI Protein Information	intercellular adhesion molecule 2
UniProt Protein Name	Intercellular adhesion molecule 2
UniProt Gene Name	Icam2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/intercellular-adhesion-molecule-2-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/142564>