

Rabbit C-Type Lectin Domain Family 10 Polyclonal Antibody | anti-CLEC10A antibody

Polyclonal Antibody to C-Type Lectin Domain Family 10, Member A (CLEC10A)


CATALOG # AAA142647	HOST Rabbit	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	---

PRODUCT SYNONYMS

C-Type Lectin Domain Family 10; Polyclonal Antibody; Polyclonal Antibody to C-Type Lectin Domain Family 10; Member A (CLEC10A); anti-CLEC10A antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Liquid; Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.5mg/mL (varies by lot)
Applicable Applications for anti-CLEC10A antibody	IHC (Immunohistochemistry), WB (Western Blot)
Source	Polyclonal antibody preparation
Cross Reactivity	Rat
Immunogen	Recombinant CD301 (Thr71~Met239) expressed in E.coli
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4°C for frequent use. Aliquot and store at -20°C for 24 months. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




WB (Western Blot)

Western BlotSamples:Lane1: Rat Testis lysateLane2: Rat Cerebellum lysatePrimary Ab: 5ug/ml Rabbit Anti-Human CD299 AntibodySecond Ab: 0.2ug/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody




IHC (Immunohistochemistry)

DAB staining on IHC-P; Samples: Human Liver Tissue.Primary Ab: 20ug/ml Rabbit Anti-Human CD299 AntibodyControl: Used PBS instead of primary antibodySecond Ab: 2ug/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody




IHC (Immunohistochemistry)

DAB staining on IHC-P; Samples: Human Liver Cancer Tissue.




IHC (Immunohistochemistry)

DAB staining on IHC-P; Samples: Human Liver Tissue



WB (Western Blot)

Western Blot: Sample: Recombinant CLEC10A, Human.



WB (Western Blot)

Western Blot: Sample: Rat Testis Tissue.

NCBI AND UNIPROT INFORMATION

NCBI GI #	53832016
NCBI GeneID	10462
NCBI Accession #	NP_006335.2
NCBI GenBank Nucleotide #	NM_006344.3
UniProt Accession #	Q8IUN9; Q14538; Q6PIW3; A8K8J8

NCBI Official Full Name	C-type lectin domain family 10 member A isoform 2
NCBI Official Synonym Full Names	C-type lectin domain containing 10A
NCBI Official Symbol	CLEC10A
NCBI Official Synonym Symbols	HML; MGL; HML2; CD301; CLECSF13; CLECSF14
NCBI Protein Information	C-type lectin domain family 10 member A
UniProt Protein Name	C-type lectin domain family 10 member A
UniProt Gene Name	CLEC10A
UniProt Synonym Gene Names	CLECSF13; CLECSF14; HML

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/c-type-lectin-domain-family-10-antibody-immunohistochemistry-western-blot-elisa/142647>