

Rabbit anti-Mouse Ferritin Polyclonal Antibody | anti-FTL antibody

Polyclonal Antibody to Ferritin, Light Polypeptide (FTL)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA142793	Rabbit	Mouse	Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

Ferritin; Polyclonal Antibody; Polyclonal Antibody to Ferritin; Light Polypeptide (FTL); anti-FTL antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.5mg/ml (varies by lot)
Applicable Applications for anti-FTL antibody	IHC (Immunohistochemistry), WB (Western Blot)
Source	Polyclonal antibody preparation
Traits	Liquid
Immunogen	Recombinant FTL (Ile5~Asp183) expressed in E.coli ().
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




WB (Western Blot)

Western Blot: Sample: Mouse Cerebrum lysate; Primary Ab: 1ug/ml Rabbit Anti-Mouse FTL Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody




IHC (Immunohistochemistry)

DAB staining on IHC-P; Sample: Mouse Spleen TissuePrimary Ab: 20ug/ml Rabbit Anti-Mouse FTL Antibody Control: Used PBS instead of primary antibodySecond Ab: 2ug/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody




IHC (Immunohistochemisry)

Vector Red staining on IHC-P; Samples: Human Spleen Tissue;Primary Ab: 10ug/ml Rabbit Anti-Mouse FTL AntibodySecond Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



IHC (Immunohiostchemistry)

DAB staining on IHC-P; Samples: Mouse Spleen Tissue;Primary Ab: 20ug/ml Rabbit Anti-Mouse FTL AntibodySecond Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



WB (Western Blot)

Western Blot: Sample: Recombinant protein.

NCBI AND UNIPROT INFORMATION

NCBI GI #	120524
NCBI GeneID	14325
UniProt Accession #	P29391; Q8WUQ8
NCBI Official Full Name	Ferritin light chain 1
NCBI Official Synonym Full Names	ferritin light polypeptide 1

NCBI Official Symbol	Ftl1
NCBI Official Synonym Symbols	Ftl; Ftl-1; L-ferritin
NCBI Protein Information	ferritin light chain 1
UniProt Protein Name	Ferritin light chain 1
UniProt Gene Name	Ftl1
UniProt Synonym Gene Names	Ftl; Ftl-1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ferritin-antibody-immunohistochemistry-western-blot-elisa/142793>