

Rabbit Synaptosomal Associated Protein Polyclonal Antibody | anti-SNAP25 antibody

Polyclonal Antibody to Synaptosomal Associated Protein 25kDa (SNAP25)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA143177	Rabbit	Human, Mouse, Rat, Pig	Immunoprecipitation, Immunocytochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Synaptosomal Associated Protein; Polyclonal Antibody; Polyclonal Antibody to Synaptosomal Associated Protein 25kDa (SNAP25); anti-SNAP25 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat, Pig
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography.
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.6mg/ml (varies by lot)
Applicable Applications for anti-SNAP25 antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Source	Polyclonal antibody preparation
Traits	Liquid
Cross Reactivity	Mouse, Rat, Pig
Immunogen	Recombinant SNAP25 (Met1~Gly206) expressed in E.coli ().
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


IMAGES




IHC (Immunohistochemistry)
DAB staining on formalin fixed paraffin- embedded Kidney tissue



IHC (Immunohistochemisry)
DAB staining on IHC-P; Samples: Human Cerebellum Tissue; Primary Ab: 20ug/ml Rabbit Anti-Human SNAP25 AntibodySecond Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog:



WB (Western Blot)
Western Blot; Sample: Mouse Cerebellum lysate; Primary Ab: 1ug/ml Rabbit Anti-Human SNAP25 AntibodySecond Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog:



WB (Western Blot)
Western Blot; Sample: Recombinant SNAP25, Human.

NCBI AND UNIPROT INFORMATION

NCBI GI #	1018443229
NCBI GeneID	6616
NCBI Accession #	NP_001309831.1
NCBI GenBank Nucleotide #	NM_001322902.1
UniProt Accession #	P60880; P13795; P36974; P70557; P70558; Q53EM2; Q5U0B5; Q8IXK3; Q96FM2; B2RAU4; D3DW16; D3DW17
NCBI Official Full Name	synaptosomal-associated protein 25 isoform SNAP25A
NCBI Official Synonym Full Names	synaptosome associated protein 25
NCBI Official Symbol	SNAP25
NCBI Official Synonym Symbols	SUP; RIC4; SEC9; SNAP; CMS18; RIC-4; SNAP-25; bA416N4.2; dJ1068F16.2
NCBI Protein Information	synaptosomal-associated protein 25
UniProt Protein Name	Synaptosomal-associated protein 25
UniProt Gene Name	SNAP25
UniProt Synonym Gene Names	SNAP; SNAP-25; SUP

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

