

Rabbit anti-Human C-Type Lectin Domain Family 4 Polyclonal Antibody | anti-CLEC4C antibody

Polyclonal Antibody to C-Type Lectin Domain Family 4, Member C (CLEC4C)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA143438	Rabbit	Human	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

C-Type Lectin Domain Family 4; Polyclonal Antibody; Polyclonal Antibody to C-Type Lectin Domain Family 4; Member C (CLEC4C); anti-CLEC4C antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against CLEC4C. It has been selected for its ability to recognize CLEC4C in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid
Concentration	0.74mg/ml (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag, His-tag and T7-tag and its sequence is listed below. MGSSH HHHHHSSGLV PRGSHMASMT GGQMGGRGSE F-EEPQDREK GLWWFQLKVV SMAVVSILL SVCFTVSSVV PHNFMYSKTV KRSLKREYQ QYHPSLTCVM EGKDIEDWSC CPTPWTSFQS SCYFISTGMQ SWTKSQKNCS VMGADLVVIN TREEQDFIIQ NLKRNSY
Applicable Applications for anti-CLEC4C antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	CLEC4C (Glu5-Ile183)
Organism Species	Homo sapiens (Human)
Cross Reactivity	Human
Conjugate	No Conjugate
Immunogen	Recombinant CLEC4C (Glu5-Ile183) expressed in E. coli.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Kidney Tissue.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Brain Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Stomach Tissue



WB (Western Blot)
Western Blot: Sample: Recombinant protein.

NCBI AND UNIPROT INFORMATION

NCBI GI #	18466806
NCBI GeneID	170482
NCBI Accession #	NP_569708.1
NCBI GenBank Nucleotide #	NM_130441.2
UniProt Accession #	Q8WTT0; Q3T1C3; Q6UXS8; Q8WXX8; D3DUU3
Molecular Weight	21,498 Da

NCBI Official Full Name	C-type lectin domain family 4 member C isoform 1
NCBI Official Synonym Full Names	C-type lectin domain family 4 member C
NCBI Official Symbol	CLEC4C
NCBI Official Synonym Symbols	DLEC; HECL; BDCA2; CD303; CLECSF7; CLECSF11; PRO34150
NCBI Protein Information	C-type lectin domain family 4 member C
UniProt Protein Name	C-type lectin domain family 4 member C
UniProt Gene Name	CLEC4C
UniProt Synonym Gene Names	BDCA2; CLECSF11; CLECSF7; DLEC; HECL; BDCA-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/c-type-lectin-domain-family-4-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/143438>