

Rabbit Fibrinogen Alpha Polyclonal Antibody | anti-FGa antibody

Polyclonal Antibody to Fibrinogen Alpha (FGa)


CATALOG # AAA143565	HOST Rabbit	REACTIVITY Bos taurus; Bovine (Cattle)	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---

PRODUCT SYNONYMS


Fibrinogen Alpha; Polyclonal Antibody; Polyclonal Antibody to Fibrinogen Alpha (FGa); anti-FGa antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Bos taurus; Bovine (Cattle)
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.5mg/mL (varies by lot)
Applicable Applications for anti-FGa antibody	IHC (Immunohistochemistry), WB (Western Blot)
Source	Polyclonal antibody preparation
Traits	Liquid
Immunogen	Recombinant FGA (Gly39~Pro615) expressed in E.coli .
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




WB (Western Blot)
Western Blot; Samples: Lane 1: Bovine Kidney lysate; Lane 2: Bovine Liver lysate; Primary Ab: 0.05ug/ml Rabbit Anti-Bovine FGa Antibody; Second Ab: 0.2ug/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody




WB (Western Blot)
Western Blot; Sample: Bovine Lung lysate; Primary Ab: 1ug/ml Rabbit Anti-Bovine FGa Antibody; Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



WB (Western Blot)
Western Blot; Sample: Bovine Small intestine lysate; Primary Ab: 1ug/ml Rabbit Anti-Bovine FGa Antibody; Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Bovine Liver Tissue; Primary Ab: 20ug/ml Rabbit Anti-Bovine FGa Antibody; Second Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Bovine Kidney Tissue; Primary Ab: 20ug/ml Rabbit Anti-Bovine FGa Antibody; Second Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	75812954
NCBI GeneID	522039
NCBI Accession #	NP_001028798.1
NCBI GenBank Nucleotide #	NM_001033626.1
UniProt Accession #	P02672; O97642; Q3T049

NCBI Official Full Name	fibrinogen alpha chain
NCBI Official Symbol	FGA
NCBI Protein Information	fibrinogen alpha chain
UniProt Protein Name	Fibrinogen alpha chain
UniProt Gene Name	FGA

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/fibrinogen-alpha-antibody-immunohistochemistry-western-blot-elisa/143565>