

Rabbit Cyldromatosis Polyclonal Antibody | anti-CYLD antibody

Polyclonal Antibody to Cyldromatosis (CYLD)

CATALOG # AAA143791	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

Cyldromatosis; Polyclonal Antibody; Polyclonal Antibody to Cyldromatosis (CYLD); anti-CYLD antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against CYLD. It has been selected for its ability to recognize CYLD in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid
Concentration	0.95mg/ml (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag. His-tag and T7-tag and its sequence is listed below. MGSSH HHHHHSSGLV PRGSHMASMT GGQMGGRGSE F-EGRGQGFT DGVYQGGKQLF QCDEDCGVFV ALDKLELIED DDALESFYA GPGDTMQVEL PPLEINSRVS LKVGETIESG TVIFCDVLPK KESLG YFVG DMDNPIGNWD GRFDGVQLCS FACVESTILL HINDIIPESV TQERRPPKLA FMSRGGVGDGK SSSHNKPKAT G
Sequence Length	956
Applicable Applications for anti-CYLD antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	CYLD (Glu170~Gly338)
Organism Species	Homo sapiens (Human)
Cross Reactivity	Human
Conjugate	No Conjugate
Immunogen	Recombinant CYLD (Glu170~Gly338) expressed in E. coli.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Brain Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Prostate Gland Cancer Tissue.




IHC (Immunohistochemistry)

DAB staining on IHC-P; Samples: Human Liver Cancer Tissue.



IHC (Immunohistochemistry)

DAB staining on IHC-P; Samples: Human Glioma Tissue



WB (Western Blot)

Western Blot; Sample: Recombinant CYLD, Human.

NCBI AND UNIPROT INFORMATION

NCBI GI #	109637774
NCBI GeneID	1540
NCBI Accession #	NP_001035814.1
NCBI GenBank Nucleotide #	NM_001042355.1
UniProt Accession #	Q9NQC7; O94934; Q7L3N6; Q96EH0; Q9NZX9
Molecular Weight	107,044 Da
NCBI Official Full Name	ubiquitin carboxyl-terminal hydrolase CYLD isoform 2
NCBI Official Synonym Full Names	CYLD lysine 63 deubiquitinase
NCBI Official Symbol	CYLD
NCBI Official Synonym Symbols	EAC; MFT; SBS; TEM; BRSS; CDMT; MFT1; CYLD1; CYLDI; USPL2
NCBI Protein Information	ubiquitin carboxyl-terminal hydrolase CYLD
UniProt Protein Name	Ubiquitin carboxyl-terminal hydrolase CYLD
UniProt Gene Name	CYLD

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cyldromatosis-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/143791>