

Rabbit Autocrine Motility Factor Receptor Polyclonal Antibody | anti-AMFR antibody

Autocrine Motility Factor Receptor (AMFR) Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA144732	Rabbit	Mouse, Human, Rat	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Autocrine Motility Factor Receptor; Polyclonal Antibody; Autocrine Motility Factor Receptor (AMFR) Polyclonal Antibody; GP78; RNF45; E3 ubiquitin-protein ligase AMFR; RING finger protein 45; anti-AMFR antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse, Human, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against AMFR. It has been selected for its ability to recognize AMFR in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence Length	643
Applicable Applications for anti-AMFR antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Mouse
Organism Species	Mouse
Fragment	AMFR (Met456~Thr639)
Quality Control	Content: The quality control contains recombinant AMFR (Met456~Thr639) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescient (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on IHC-P; Samples: Mouse Ovary Tissue



IHC (Immunohiostchemistry)
DAB staining on fromalin fixed paraffin- embedded Kidney tissue



WB (Western Blot)
Western Blot; Sample: Recombinant protein.

NCBI AND UNIPROT INFORMATION

NCBI GI #	113205073
NCBI GeneID	23802
NCBI Accession #	NP_035917.2
NCBI GenBank Nucleotide #	NM_011787.2
UniProt Accession #	Q9R049; Q8K008; Q99LH5
Molecular Weight	72,753 Da
NCBI Official Full Name	E3 ubiquitin-protein ligase AMFR
NCBI Official Synonym Full Names	autocrine motility factor receptor
NCBI Official Symbol	Amfr
NCBI Official Synonym Symbols	gp78
NCBI Protein Information	E3 ubiquitin-protein ligase AMFR
UniProt Protein Name	E3 ubiquitin-protein ligase AMFR
UniProt Gene Name	Amfr
UniProt Synonym Gene Names	AMF receptor

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

