

Rabbit NAD Kinase Polyclonal Antibody | anti-NADK antibody

NAD Kinase (NADK) Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA144884	Rabbit	Human, Mouse, Rat, Pig	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

NAD Kinase; Polyclonal Antibody; NAD Kinase (NADK) Polyclonal Antibody; Poly(P)/ATP NAD kinase; anti-NADK antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat, Pig
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against NADK. It has been selected for its ability to recognize NADK in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence Length	292
Applicable Applications for anti-NADK antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Human, Pig
Organism Species	Human
Fragment	NADK (Leu187~His426)
Quality Control	Content: The quality control contains recombinant NADK (Leu187~His426) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescient (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on IHC-P; Samples: Human Stomach Tissue



WB (Western Blot)
Western Blot: Sample: Recombinant protein.



WB (Western Blot)
Western Blot: Sample: Human 293T cell lysate; Primary Ab: 1ug/ml Rabbit Anti-Human NADK
Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	312222779
NCBI GeneID	65220
NCBI Accession #	NP_001185922.1
NCBI GenBank Nucleotide #	NM_001198993.1
UniProt Accession #	O95544; Q5QPS4; Q9H2P2; Q9H931; A6NNN3; A8K296; B7Z434; F5GXR5
Molecular Weight	46,446 Da
NCBI Official Full Name	NAD kinase isoform 1
NCBI Official Synonym Full Names	NAD kinase
NCBI Official Symbol	NADK
NCBI Official Synonym Symbols	dJ283E3.1
NCBI Protein Information	NAD kinase
UniProt Protein Name	NAD kinase
UniProt Gene Name	NADK

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/nad-kinase-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/144884>