

Rabbit Activating Transcription Factor 3 Polyclonal Antibody | anti-ATF3 antibody

Activating Transcription Factor 3 (ATF3) Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA144950	Rabbit	Human, Mouse, Rat	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot

PRODUCT SYNONYMS

Activating Transcription Factor 3; Polyclonal Antibody; Activating Transcription Factor 3 (ATF3) Polyclonal Antibody; Cyclic AMP-dependent Transcription Factor ATF3; anti-ATF3 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against ATF3. It has been selected for its ability to recognize ATF3 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN ₃ , 50% glycerol.
Concentration	0.31mg/ml (varies by lot)
Sequence Length	181
Applicable Applications for anti-ATF3 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Human, Mouse
Organism Species	Human
Fragment	ATF3 (Met1~Ser181)
Quality Control	Content: The quality control contains recombinant ATF3 (Met1~Ser181) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescient (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)
DAB staining on IHC-P. Samples: Human Tissue



WB (Western Blot)
Western Blot: Sample: Recombinant ATF3, Human.



WB (Western Blot)
Western Blot: Sample: Lane1: Human Serum; Lane2: Human 293T Cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	71902536
NCBI GeneID	467
NCBI Accession #	NP_001025458.1
NCBI GenBank Nucleotide #	NM_001030287.3
UniProt Accession #	P18847; Q5VTZ2; Q6ICQ9; Q7Z566; Q8WYM6
Molecular Weight	14,314 Da
NCBI Official Full Name	cyclic AMP-dependent transcription factor ATF-3 isoform 1
NCBI Official Synonym Full Names	activating transcription factor 3
NCBI Official Symbol	ATF3
NCBI Protein Information	cyclic AMP-dependent transcription factor ATF-3
UniProt Protein Name	Cyclic AMP-dependent transcription factor ATF-3
UniProt Gene Name	ATF3
UniProt Synonym Gene Names	cAMP-dependent transcription factor ATF-3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/activating-transcription-factor-3-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/144950>