

Rabbit anti-Mouse Cluster Of Differentiation 160 Polyclonal Antibody | anti-CD160 antibody

Cluster Of Differentiation 160 (CD160) Polyclonal Antibody

CATALOG # AAA144954	HOST Rabbit	REACTIVITY Mouse	APPLICATIONS ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

Cluster Of Differentiation 160; Polyclonal Antibody; Cluster Of Differentiation 160 (CD160) Polyclonal Antibody; BY55; NK1; NK28; CD160 Antigen; Natural killer cell receptor BY55; anti-CD160 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against CD160. It has been selected for its ability to recognize CD160 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN3, 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence Length	181
Applicable Applications for anti-CD160 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Mouse
Organism Species	Mouse
Fragment	CD160 (Thr33–Met171)
Quality Control	Content: The quality control contains recombinant CD160 (Thr33–Met171) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescient (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN3 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on fromalin fixed paraffin- embedded Kidney tissue



WB (Western Blot)
Western Blot: Sample: Recombinant protein.



WB (Western Blot)
Western Blot: Sample: Mouse Small intestine lysate; Primary Ab: 5ug/ml Rabbit Anti-Mouse CD160 Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	254553380
NCBI GeneID	54215
NCBI Accession #	NP_001156968.1
NCBI GenBank Nucleotide #	NM_001163496.1
UniProt Accession #	O88875; Q8C9H4
Molecular Weight	20,570 Da
NCBI Official Full Name	CD160 antigen isoform a
NCBI Official Synonym Full Names	CD160 antigen
NCBI Official Symbol	Cd160
NCBI Official Synonym Symbols	By55; AU045688
NCBI Protein Information	CD160 antigen
UniProt Protein Name	CD160 antigen
UniProt Gene Name	Cd160
UniProt Synonym Gene Names	By55

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cluster-of-differentiation-160-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/144954>