

Rabbit Guanidinoacetate-N-Methyltransferase Polyclonal Antibody | anti-GAMT antibody

Guanidinoacetate-N-Methyltransferase (GAMT) Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA144999	Rabbit	Mouse, Human, Rat	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Guanidinoacetate-N-Methyltransferase; Polyclonal Antibody; Guanidinoacetate-N-Methyltransferase (GAMT) Polyclonal Antibody; PIG2; TP53I2; Guanidinoacetate Methyltransferase; Guanidinoacetate Transmethylase; Methionine-Guanidinoacetic Transmethylase; Guanidoacetate Methyltransferase; anti-GAMT antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse, Human, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against GAMT. It has been selected for its ability to recognize GAMT in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence Length	236
Applicable Applications for anti-GAMT antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Mouse
Organism Species	Mouse
Fragment	GAMT (Ser2~His236)
Quality Control	Content: The quality control contains recombinant GAMT (Ser2~His236) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescient (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Testis Tissue




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Brain Tissue



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Uterus Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant GAMT, Mouse.



WB (Western Blot)
Western Blot: Sample: Lane1: Mouse Liver Tissue; Lane2: Mouse Testis Tissue; Lane3: Mouse Brain Tissue.

NCBI AND UNIPROT INFORMATION

NCBI GI #	1102627079
NCBI GeneID	14431
NCBI Accession #	NP_001334048.1
NCBI GenBank Nucleotide #	NM_001347119.1
UniProt Accession #	O35969; Q3TZ58; Q3US90
Molecular Weight	27,913 Da

NCBI Official Full Name	guanidinoacetate N-methyltransferase isoform 2
NCBI Official Synonym Full Names	guanidinoacetate methyltransferase
NCBI Official Symbol	Gamt
NCBI Official Synonym Symbols	Spintz1; AA571402
NCBI Protein Information	guanidinoacetate N-methyltransferase
UniProt Protein Name	Guanidinoacetate N-methyltransferase
UniProt Gene Name	Gamt

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/guanidinoacetate-n-methyltransferase-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/144999>