

Rabbit anti-Human Carboxylesterase 1 Polyclonal Antibody | anti-CES1 antibody

Carboxylesterase 1 (CES1) Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA145087	Rabbit	Human	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Carboxylesterase 1; Polyclonal Antibody; Carboxylesterase 1 (CES1) Polyclonal Antibody; ACAT; CEH; CES2; HMSE1; PCE1; SES1; TGH; Retinyl ester hydrolase; Serine esterase 1; Triacylglycerol hydrolase; Egasyn; Cocaine carboxylesterase; Liver Carboxylesterase 1; anti-CES1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against CES1. It has been selected for its ability to recognize CES1 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Applicable Applications for anti-CES1 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Human
Organism Species	Human
Fragment	CES1 (Gly18~Leu299)
Quality Control	Content: The quality control contains recombinant CES1 (Gly18~Leu299) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescence (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on IHC-P; Samples: Human Liver Tissue



IHC (Immunohiostchemistry)
DAB staining on fromalin fixed paraffin- embedded Kidney tissue



WB (Western Blot)
Western Blot; Sample: Recombinant protein.

NCBI AND UNIPROT INFORMATION

NCBI GI #	68508965
NCBI GeneID	1066
NCBI Accession #	NP_001020365.1
NCBI GenBank Nucleotide #	NM_001025194.1
UniProt Accession #	P23141; P82127; Q00015; Q13657; Q14062; Q16737; Q16788; Q549X7; A6NIM1; A8K3K8; A8K844; E9PAU8
Molecular Weight	62,393 Da
NCBI Official Full Name	liver carboxylesterase 1 isoform b
NCBI Official Synonym Full Names	carboxylesterase 1
NCBI Official Symbol	CES1
NCBI Official Synonym Symbols	CEH; REH; TGH; ACAT; CE-1; CES2; HMSE; SES1; HMSE1; PCE-1; hCE-1
NCBI Protein Information	liver carboxylesterase 1
UniProt Protein Name	Liver carboxylesterase 1
UniProt Gene Name	CES1
UniProt Synonym Gene Names	CES2; SES1; REH; TGH

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

