

Rabbit anti-Human, Mouse Discoidin Domain Receptor Family Polyclonal Antibody | anti-DDR1 antibody

Discoidin Domain Receptor Family, Member 1 (DDR1) Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA145363	Rabbit	Human, Mouse	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Discoidin Domain Receptor Family; Polyclonal Antibody; Member 1 (DDR1) Polyclonal Antibody; CD167a; CAK; DDR; EDDR1; MCK10; NEP; NTRK4; PTK3; PTK3A; RTK6; TRKE; Cell adhesion kinase; Epithelial discoidin domain receptor 1; Mammary carcinoma kinase 10; anti-DDR1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against DDR1. It has been selected for its ability to recognize DDR1 in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN ₃ , 50% glycerol.
Concentration	0.7mg/ml (varies by lot)
Sequence Length	155
Applicable Applications for anti-DDR1 antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Human
Organism Species	Human
Fragment	DDR1 (His568~Phe829)
Quality Control	Content: The quality control contains recombinant DDR1 (His568~Phe829) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemiluminescent (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Tissue



IHC (Immunohistochemistry)
DAB staining on formalin fixed paraffin- embedded liver tissue



WB (Western Blot)
Western Blot: Sample: Recombinant DDR1, Human.



WB (Western Blot)
Western Blot: Sample: Human Serum; Primary Ab: 5ug/ml Rabbit Anti-Human DDR1 Antibody
Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	321400059
NCBI GeneID	780
NCBI Accession #	NP_001189450.1
NCBI GenBank Nucleotide #	NM_001202521.1
UniProt Accession #	Q08345; Q14196; Q16562; Q2L6H3; Q4LE50; Q5ST11; Q5ST12; Q6NSK4; Q9UD35; B5A975; B5A976; B7Z2K0
Molecular Weight	99,064 Da
NCBI Official Full Name	epithelial discoidin domain-containing receptor 1 isoform 4
NCBI Official Synonym Full Names	discoidin domain receptor tyrosine kinase 1
NCBI Official Symbol	DDR1
NCBI Official Synonym Symbols	CAK; DDR; NEP; HGK2; PTK3; RTK6; TRKE; CD167; EDDR1; MCK10; NTRK4; PTK3A
NCBI Protein Information	epithelial discoidin domain-containing receptor 1
UniProt Protein Name	Epithelial discoidin domain-containing receptor 1
UniProt Gene Name	DDR1
UniProt Synonym Gene Names	CAK; EDDR1; NEP; NTRK4; PTK3A; RTK6; TRKE; Epithelial discoidin domain receptor 1; MCK-10

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/discoidin-domain-receptor-family-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/145363>