

Rabbit Acyl Coenzyme A Dehydrogenase Polyclonal Antibody | anti-ACADL antibody

Polyclonal Antibody to Acyl Coenzyme A Dehydrogenase, Long Chain (ACADL)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA145756	Rabbit	Human, Mouse, Rat	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Acyl Coenzyme A Dehydrogenase; Polyclonal Antibody; Polyclonal Antibody to Acyl Coenzyme A Dehydrogenase; Long Chain (ACADL); LCAD; ACAD4; Long-chain specific acyl-CoA dehydrogenase; mitochondrial; anti-ACADL antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against ACADL. It has been selected for its ability to recognize ACADL in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, Containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence Length	814
Applicable Applications for anti-ACADL antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	ACADL (Ile214~Lys430)
Conjugate	No Conjugate
Cross Reactivity	Human, Mouse
Immunoglobulin Type	IgG
Quality Control	Content: The quality control contains recombinant ACADL (Ile214~Lys430) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemiluminescent (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol,BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on fromalin fixed paraffin- embedded liver tissue



WB (Western Blot)
Western Blot: Sample: Recombinant protein.



WB (Western Blot)
Western Blot: Sample: Mouse Kidney lysate; Primary Ab: 1ug/ml Rabbit Anti-Human ACADL
Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	4501857
NCBI GeneID	33
NCBI Accession #	NP_001599.1
NCBI GenBank Nucleotide #	NM_001608.3
UniProt Accession #	P28330; Q8IUUN8; B2R8T3
Molecular Weight	47,656 Da
NCBI Official Full Name	long-chain specific acyl-CoA dehydrogenase, mitochondrial
NCBI Official Synonym Full Names	acyl-CoA dehydrogenase long chain
NCBI Official Symbol	ACADL
NCBI Official Synonym Symbols	LCAD; ACAD4
NCBI Protein Information	long-chain specific acyl-CoA dehydrogenase, mitochondrial
UniProt Protein Name	Long-chain specific acyl-CoA dehydrogenase, mitochondrial
UniProt Gene Name	ACADL
UniProt Synonym Gene Names	LCAD

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/acyl-coenzyme-a-dehydrogenase-antibody-immunohistochemistry-immunocytochemistry-western-blot-elisa/145756>