

Mouse Tissue Inhibitors Of Metalloproteinase 2 (TIMP2) ELISA Kit | TIMP2 elisa kit

Mouse Tissue Inhibitors Of Metalloproteinase 2 (TIMP2) Mini Samples ELISA Kit

CATALOG #
AAA149010

REACTIVITY
Mouse


PRODUCT SYNONYMS

Tissue Inhibitors Of Metalloproteinase 2 (TIMP2); Mouse Tissue Inhibitors Of Metalloproteinase 2 (TIMP2) Mini Samples ELISA Kit; CSC-21K; TIMP Metalloproteinase Inhibitor 2; TIMP2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of TIMP1. No significant cross-reactivity or interference between TIMP1 and analogues was observed.
Sequence Length	220
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	31.2-2,000pg/mL
Sensitivity	12.7pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TIMP1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TIMP1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TIMP2 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of TIMP1 in porcine serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to TIMP1. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to TIMP1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TIMP1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of TIMP1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for TIMP2 elisa kit	Tumor immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	267133
NCBI GeneID	21858
UniProt Accession #	P25785
Molecular Weight	24,328 Da
NCBI Official Full Name	Metalloproteinase inhibitor 2
NCBI Official Synonym Full Names	tissue inhibitor of metalloproteinase 2
NCBI Official Symbol	Timp2
NCBI Official Synonym Symbols	Timp-2; D11Bwg1104e
NCBI Protein Information	metalloproteinase inhibitor 2
UniProt Protein Name	Metalloproteinase inhibitor 2
UniProt Gene Name	Timp2
UniProt Synonym Gene Names	Timp-2; TIMP-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/tissue-inhibitors-of-metalloproteinase-2-timp2/149010>