

General 2,3-Bisphosphoglycerate (2,3-BPG) ELISA Kit | 2,3-BPG elisa kit

General 2,3-Bisphosphoglycerate (2,3-BPG) ELISA Kit

CATALOG #
AAA149071

REACTIVITY
General


PRODUCT SYNONYMS

2; 3-Bisphosphoglycerate (2; 3-BPG); General 2; 3-BPG) ELISA Kit; 3BPG; 3-DPG; 3-Diphosphoglycerate; 3-BPG elisa kit

PRODUCT SPECIFICATIONS

Reactivity	General
Specificity	This assay has high sensitivity and excellent specificity for detection of docosahexaenoic acid. No significant cross-reactivity or interference between docosahexaenoic acid and analogues was observed.
Sequence Length	259
Assay Type	Competitive
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates And Other Biological Fluids
Detection Range	1.23-100ug/mL
Sensitivity	0.53ug/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level docosahexaenoic acid were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level docosahexaenoic acid were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for 2,3-BPG elisa kit	Intended Uses: The kit is a competitive inhibition enzyme immunoassay technique for the in quantitative measurement of docosahexaenoic acid in serum, plasma and other biological fluids. Principle of the Assay: This assay employs the competitive inhibition enzyme immunoassay technique. A monoclonal antibody specific to docosahexaenoic acid has been pre-coated onto a microplate. A competitive inhibition reaction is launched between biotin labeled docosahexaenoic acid analogues and unlabeled antigen (Standards or samples) with the pre-coated antibody. After incubation the unbound conjugate is washed off. Next, avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. The amount of bound HRP conjugate is reverse proportional to the concentration of docosahexaenoic acid in the sample. After addition of the substrate solution, the intensity of color developed is reverse proportional to the concentration of docosahexaenoic acid in the sample.
Product Categories/Family for 2,3-BPG elisa kit	Metabolic pathway; Endocrinology; Cardiovascular biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	179527
Molecular Weight	30,005 Da
NCBI Official Full Name	2,3-bisphosphoglycerate
UniProt Protein Name	Bisphosphoglycerate mutase
UniProt Gene Name	BPGM
UniProt Synonym Gene Names	BPGM; DPGM

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/general-elisa-kits/23-bisphosphoglycerate-23-bpg/149071>