

Human thrombin-antithrombin complex, TAT ELISA Kit | TAT elisa kit

Human thrombin-antithrombin complex, TAT ELISA Kit

CATALOG #
AAA15226

REACTIVITY
Human


PRODUCT SYNONYMS

thrombin-antithrombin complex; TAT; Human thrombin-antithrombin complex; TAT ELISA Kit; TAT elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of human TAT. No significant cross-reactivity or interference between human TAT and analogues was observed.
Sequence Length	72
Samples	Serum, plasma and tissue homogenates
Assay Type	Sandwich
Detection Range	62.5 pg/ml -4000 pg/ml.
Sensitivity	The minimum detectable dose of human TAT is typically less than 15.6 pg/ml. The sensitivity of this assay, or Lower Limit of Detection (LLD) was defined as the lowest protein concentration that could be differentiated from zero. It was determined the mean O.D value of 20 replicates of the zero standard added by their three standard deviations.
Intra-assay Precision	Intra-assay Precision (Precision within an assay): CV%<8%. Three samples of known concentration were tested twenty times on one plate to assess.
Inter-assay Precision	Inter-assay Precision (Precision between assays): CV%<10%. Three samples of known concentration were tested in twenty assays to assess.
Preparation and Storage	Unopened test kits should be stored at 2 to 8 degree C upon receipt. Please refer to pdf manual for further storage instructions.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TAT elisa kit	Principle of the assay: This assay employs the quantitative sandwich enzyme immunoassay technique. Antibody specific for TAT has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any TAT present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for TAT is added to the wells. After washing, avidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of TAT bound in the initial step. The color development is stopped and the intensity of the color is measured.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	301322950
UniProt Accession #	E2FMT9
Molecular Weight	8,343 Da
NCBI Official Full Name	tat, partial
UniProt Protein Name	Protein Tat
UniProt Gene Name	tat
UniProt Entry Name	E2FMT9_9HIV1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/thrombin-antithrombin-complex-tat/15226>